ELSEVIER

Journal of Organometallic Chemistry 658 (2002) 283–284

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 658

Akkari-El Ahdab, A., 94
Alley, S.R., 181
Alt, H.G., 259
Arita, C., 106

Bajpai, S., 34, 34
Baker, P.K., 77
Barrau, J., 94
Beckwith, R.E.J., 21
Bhasin, K.K., 71
Böhmer, I.K., 259
Brown, D.A., 88
Brown, K.J., 50
Budzichowski, T.A., 88
Butcher, R.J., 34, 169

Carbayo, A., 15
Chandra, M., 43
Chauhan, A.K.S., 169
Chen, J., 214
Chen, J.-Y., 117
Chen, W., 153
Cheng, J., 153
Chien, S.W., 159
Císařová, I., 235
Cuevas, J.V., 15
Cui, D., 153

Drew, M.G.B., 77
Duzs-Moore, A.M., 88

Ernst, R., 259
Ershova, V.A., 147

Gangoda, M., 141
García-Herbosa, G., 15
Gauvin, R.M., 1
Gleiter, R., 242
Golovin, A.V., 147
Gornitzka, H., 94
Grasa, G.A., 126
Grigor'ev, S.V., 228
Gyepes, R., 235

Han, L., 62
Henderson, W., 181
Herber, R.H., 210
Herker, M., 266
Heron, N., 21
Hidai, M., 106
Ho, D.M., 88
Hor, T.S.A., 159
Horáček, M., 235
Hu, Y., 62

Huang, S.-L., 191
Huang, B., 153
Huang, S.D., 141
Huang, Y.-Z., 9

Iijima, T., 281
Iyoda, M., 210

Jia, W.-L., 198
Jin, X., 62
Jones, W.D., 132

Kaya, C., 176
Kimari, D.M., 88
Ko, B.-T., 117
Köhler, F.H., 266
Konchenko, S.N., 204
Koser, G.F., 141
Kozanoglu, F., 274
Kraft, B.M., 132
Kress, J., 1
Kruppa, A.I., 228
Kubišta, J., 235
Kumar, A., 169

Laali, K.K., 141
Lath, R., 34
Lebel, H., 126
Lee, G.-H., 117, 191
Leshina, T.V., 228
Li, X.-Y., 9
Liao, F.-L., 117
Lin, C.-C., 117
Low, P.M.N., 159

Mach, K., 235
Mak, T.C.W., 159
Mandal, S.K., 88
Martin, K.L., 126
Mazet, C., 1
Mirskov, R.G., 228
Mizobe, Y., 106
Mobin, S.M., 43
Moore, D.S., 77
Moore, Z., 126

Neels, A., 251
Neo, Y.C., 159
Nolan, S.P., 126
Nowik, I., 210

Özkar, S., 274

Pandey, D.S., 43

Paquet, V., 126
Petrusová, L., 235
Pogrebnyak, V.M., 147
Polyakov, N.E., 228
Pushkarevsky, N.A., 204

Rakhlin, V.I., 228
Ram, C., 34
Rausch, B.J., 242
Reger, D.L., 50
Rima, G., 94
Rominger, F., 242

Sahay, A.N., 43
Saldamli, S., 274
Scheer, M., 204
Schwaiger, M., 266
Seino, H., 106
Shiu, K.-B., 117
Simpkins, N.S., 21
Singh, J., 71
Smith, M.D., 50
Souma, Y., 214
Srivastava, R.C., 169
Srivastava, M., 34
Srivastava, P.C., 34
Stœckli-Evans, H., 251
Štěpnička, P., 235
Stevens, E.D., 126
Sun, J., 214
Sun, W.-H., 62
Süss-Fink, G., 251

Tang, L.-F., 198
Tang, T., 153
Taraban, M.B., 228
Therrien, B., 251
Thomas, C.M., 251

Veith, M., 34
Vittal, J.J., 159
Volkova, O.S., 228
Voronkov, M.G., 228

Wang, R., 214
Wang, J.-T., 198
Wang, Y., 191
Wang, S.-L., 117
Wang, Y., 117
Wang, L., 62
Weber, B., 266

Xu, Q., 214

Elsevier Science B.V.
PII: S0022-328X(02)01794-1

Yamaguchi, I., 281
Yamamoto, T., 281
Yang, P., 198
Yang, H., 62
Yang, S.-Y., 9
Yeo, J.S.L., 159
Yih, K.-H., 191
Zengin, N., 176
Zhao, X.-M., 198
Zimmer, M., 34

ELSEVIER

Journal of Organometallic Chemistry 658 (2002) 285–289

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 658

Allyldiene ligand
Synthesis and crystal structures of μ-1,3-bis(η⁵-tetramethylcyclopentadienyl)-1,1,3,3-tetramethyldisiloxane][η²-bis(trimethylsilyl)ethyne]titanium(II) and a doubly tucked-in product of its thermolysis. 235
2,7- and 2,10-Diferrocenyl-1,6-methano[10]annulene
Cofacial interaction of ferrocenyl groups and metal atom motional anisotropy in [10]annulene organometallics. 210
ansa-Titanocene complexes
Synthesis and crystal structures of μ-1,3-bis(η⁵-tetramethylcyclopentadienyl)-1,1,3,3-tetramethyldisiloxane][η²-bis(trimethylsilyl)ethyne]titanium(II) and a doubly tucked-in product of its thermolysis. 235
Ansa zirconocene
Dinuclear ansa zirconocene complexes containing a sandwich and a half-sandwich moiety as catalysts for the polymerization of ethylene. 259
Antimony
Synthesis and structure of the novel mixed Sb/Se and Sb/Te containing iron carbonyl clusters $[Fe_3(\mu_3\text{-}Y)(\mu_3\text{-}SbMes)(CO)_9]$ (Y = Se, Te) and $[Fe_3(\mu_3,\eta^2{:}\eta^1\text{-}SeSbMes)(\mu_3\text{-}SbMes)(CO)_{10}]$. 204
Asymmetric synthesis
Chlorotrimethylsilane-mediated Michael addition reactions of chiral benzylic anions derived from η⁶-chromiumtricarbonyl complexes. 21

Benzotriazole
New benzotriazole derivatives as multifunctional ligands. 251
Benzylborate anion
Solution structure and decomposition pathway of zwitterionic zirconium (IV) benzyl complexes. 1
bis(diPhenylacetylene)
Synthesis, reactivity and structures of diethyldithiophosphate molybdenum complexes: crystal structures of $[Mo\{\eta^2\text{-}S_2P(OEt_2)\}_2(PhC{\equiv}CPh)_2]$ and $[Mo(\eta^3\text{-}C_3H_5)\{\eta^1\text{-}S_2P(OEt_2)\}(Phen)(CO)_2]$. 191
Bis(pyrazol-1-yl)methane
Synthesis of bis(pyrazol-1-yl)methanes with organogermyl and organosilyl groups on the methine carbon and their reaction with $W(CO)_5(THF)$. X-ray crystal structures of $Ph_3GeCHPz_2W(CO)_4$ and $Me_3SiCHPz_2W(CO)_4$ (Pz = 3,5-dimethylpyrazole). 198
1,3-Bistriflato-5,7-dimethyl-1,3,5,7-tetrasilaadamantane
1-Triflato-3,5,7-trimethyl-1,3,5,7-tetrasilaadamantane and 1,3-bistriflato-5,7-dimethyl-1,3,5,7-tetrasilaadamantane: synthesis, complexation study and X-ray structure of 1-hydroxy-3,5,7-trimethyl-1,3,5,7-tetrasilaadamantane. 141
Bis(trimethylsilyl)ethyne complex
Synthesis and crystal structures of μ-1,3-bis(η⁵-tetramethylcyclopentadienyl)-1,1,3,3-tetramethyldisiloxane][η²-bis(trimethylsilyl)ethyne]titanium(II) and a doubly tucked-in product of its thermolysis. 235
Bond activation
Carbon–fluorine bond activation of perfluorinated arenes with $Cp^*_2ZrH_2$. 132
Bridged complexes
Synthetic, spectral and structural aspects of some Rh(III) pentamethylcyclopentadiene complexes containing *N*,*N*′-donor bridging ligands. 43
Bridged cyclopentadienyls
Two nickelocenes and ferrocene in a rigid *cis*/*trans* chain. 266
Bridging carbyne complexes
Unusual reactions of cationic bridging carbyne complexes of dimethylsilane-bridged bis(η⁵-cyclopentadienyl)diiron tricarbonyl with carbonylmetal anions. 214

Carbon monoxide
Reactions of tetraphosphine complex [Mo{*meso*-*o*-C_6H_4(PPhCH$_2$CH$_2$PPh$_2$)$_2$}(Ph$_2$PCH$_2$CH$_2$PPh$_2$)] with nitrile, CO, and isocyanide. 106
Carbonyl
3,3-Dimethyl-1-butyne complexes of tungsten(II). Crystal structures of $[WI_2(CO)(NCPh)(\eta^2\text{-}HC_2Bu^t)_2]$ and $[WI_2(CO)\{P(OR)_3\}_2(\eta^2\text{-}HC_2Bu^t)]$ (R = Me and Et). 77
Substitution kinetics of $Cr(CO)_5(\eta^2\text{-}Z\text{-cyclooctene})$ with tetracyanoethylene. 274
Syntheses and structures of some coordinatively saturated and unsaturated diruthenium carbonyl complexes. 117
Carbonylation
Intramolecular C–N bond formation in the reductive elimination of *ortho*-palladated arylhydrazones of acetophenone. 15
Carbonyl complexes
Synthesis and structure of the novel mixed Sb/Se and Sb/Te containing iron carbonyl clusters $[Fe_3(\mu_3\text{-}Y)(\mu_3\text{-}SbMes)(CO)_9]$ (Y = Se, Te) and $[Fe_3(\mu_3,\eta^2{:}\eta^1\text{-}SeSbMes)(\mu_3\text{-}SbMes)(CO)_{10}]$. 204
Carbonylmetal anions
Unusual reactions of cationic bridging carbyne complexes of dimethylsilane-bridged bis(η⁵-cyclopentadienyl)diiron tricarbonyl with carbonylmetal anions. 214
Carboxylate
Isolation and structural characterization of some stable Pd(II) carboxylate complexes supported by 1,1′-bis(diphenylphosphino) ferrocene (dppf). 159
Carboxylates
Synthesis, spectroscopic characterisation of 1,1,2,3,4,5,6-heptahydro-1,1-di(carboxylato)telluranes and 1,3-dihydro-2λ⁴-benzotellurole-2,2-diyl dicarboxylates: Crystal structures of 1,1,2,3,4,5,6-heptahydro-1,1-di(benzoato)tellurane and 1,3-dihydro-2λ⁴-benzotellurole-2,2-diyl dibenzoate. 34
Catalytic activity
Structural characterization and catalytic activity of the rhodium–carbene complex $Rh(PPh_3)_2(IMes)Cl$ (IMes = bis(1,3-(2,4,6-trimethylphenyl)imidazol-2-ylidene). 126
C–H activation
Synthesis and crystal structures of μ-1,3-bis(η⁵-tetramethylcyclopentadienyl)-1,1,3,3-tetramethyldisiloxane][η²-bis(trimethylsilyl)ethyne]titanium(II) and a doubly tucked-in product of its thermolysis. 235

Elsevier Science B.V.
PII: S0022-328X(02)01792-8

Chirality
Catalytic isomerization of *N*-allylic substrates with chiral Os_3 clusters as potentially enantioselective reaction, 147
Chiral lithium amide
Chlorotrimethylsilane-mediated Michael addition reactions of chiral benzylic anions derived from η^6-chromiumtricarbonyl complexes, 21
Chlorotrimethylsilane
Chlorotrimethylsilane-mediated Michael addition reactions of chiral benzylic anions derived from η^6-chromiumtricarbonyl complexes, 21
Chromium
Substitution kinetics of $Cr(CO)_5(\eta^2$-*Z*-cyclooctene) with tetracyanoethylene, 274
η^6-Chromiumtricarbonyl
Chlorotrimethylsilane-mediated Michael addition reactions of chiral benzylic anions derived from η^6-chromiumtricarbonyl complexes, 21
CIDNP
Spin chemistry of organometallic compounds: 2. Interaction of *N*-bromohexamethyldisilazane with allyltriorganolsilanes, 228
β-Cleavage
Spin chemistry of organometallic compounds: 2. Interaction of *N*-bromohexamethyldisilazane with allyltriorganolsilanes, 228
Cluster
Catalytic isomerization of *N*-allylic substrates with chiral Os_3 clusters as potentially enantioselective reaction, 147
Synthesis and structure of the novel mixed Sb/Se and Sb/Te containing iron carbonyl clusters $[Fe_3(\mu_3\text{-}Y)(\mu_{3/2}\text{-}SbMes)(CO)_9]$ (Y = Se, Te) and $[Fe_3(\mu_3,\eta^2{:}\eta^1\text{-}SeSbMes)(\mu_{3/2}\text{-}SbMes)(CO)_{10}]$, 204
Cobalt
Late transition metal complexes bearing 2,9-bis(imino)-1,10-phenanthrolinyl ligands: synthesis, characterization and their ethylene activity, 62
Cofacial cyclopentadienyl ring interaction
Cofacial interaction of ferrocenyl groups and metal atom motional anisotropy in [10]annulene organometallics, 210
CO-factored force field
A new method for calculating the CO-factored force constants of pentacarbonyliron, 176
Coordinatively unsaturated adducts
Syntheses and structures of some coordinatively saturated and unsaturated diruthenium carbonyl complexes, 117
Crystal structures
3,3-Dimethyl-1-butyne complexes of tungsten(II). Crystal structures of $[WI_2(CO)(NCPh)(\eta^2\text{-}HC_2Bu^t)_2]$ and $[WI_2(CO)\{P(OR)_3\}_2(\eta^2\text{-}HC_2Bu^t)]$ (R = Me and Et), 77
Ferrocenyl hydroxymethylphosphines $(\eta^5\text{-}C_5H_5)Fe[\eta^5\text{-}C_5H_4P(CH_2OH)_2]$ and 1,1′-$[Fe\{\eta^5\text{-}C_5H_4P(CH_2OH)_2\}_2]$ and their chalcogenide derivatives, 181
Late transition metal complexes bearing 2,9-bis(imino)-1,10-phenanthrolinyl ligands: synthesis, characterization and their ethylene activity, 62
Syntheses and crystal structures of bis(tetrahydrofurfurylindenyl) lanthanocene chlorides $(C_4H_7OCH_2C_9H_6)_2LnCl$ (Ln = Nd, Sm, Dy, Ho, Er, Yb), 153
Synthesis and crystal structures of μ-1,3-bis(η^5-tetramethylcyclopentadienyl)-1,1,3,3-tetramethyldisiloxane]bis[η^2-bis(trimethylsilyl)ethyne]titanium(II) and a doubly tucked-in product of its thermolysis, 235
Cyclic voltammetry
Synthesis and cyclic voltammetry of 1,2,3-trisubstituted bis(cyclopentadienyl)zirconium dichlorides, 242
Cyclization
Intramolecular C–N bond formation in the reductive elimination of *ortho*-palladated arylhydrazones of acetophenone, 15
Cyclooctene
Substitution kinetics of $Cr(CO)_5(\eta^2$-*Z*-cyclooctene) with tetracyanoethylene, 274
Cyclopentadiene
Synthesis and cyclic voltammetry of 1,2,3-trisubstituted bis(cyclopentadienyl)zirconium dichlorides, 242

Diamido ligands
Solution structure and decomposition pathway of zwitterionic zirconium (IV) benzyl complexes, 1
diEthyldithiophosphato ligand
Synthesis, reactivity and structures of diethyldithiophosphate molybdenum complexes: crystal structures of $[Mo\{\eta^2\text{-}S_2P(OEt_2)\}_2(PhC{\equiv}CPh)_2]$ and $[Mo(\eta^3\text{-}C_3H_5)\{\eta^1\text{-}S_2P(OEt_2)\}(Phen)(CO)_2]$, 191
Diiron
Unusual reactions of cationic bridging carbyne complexes of dimethylsilane-bridged bis(η^5-cyclopentadienyl)diiron tricarbonyl with carbonylmetal anions, 214
3,3-Dimethyl-1-butyne
3,3-Dimethyl-1-butyne complexes of tungsten(II). Crystal structures of $[WI_2(CO)(NCPh)(\eta^2\text{-}HC_2Bu^t)_2]$ and $[WI_2(CO)\{P(OR)_3\}_2(\eta^2\text{-}HC_2Bu^t)]$ (R = Me and Et), 77
Dinuclear complexes
Dinuclear ansa zirconocene complexes containing a sandwich and a half-sandwich moiety as catalysts for the polymerization of ethylene, 259
Diselenide
A novel and convenient synthesis towards 2-pyridylselenium compounds: X-ray crystal structure of 4,4′-dimethyl-2,2′-dipyridyl diselenide and tris(2-pyridylseleno)methane, 71
Dual site catalysts
Dinuclear ansa zirconocene complexes containing a sandwich and a half-sandwich moiety as catalysts for the polymerization of ethylene, 259

Electronic reason
Electronic reason for the stabilization of osmabenzyne, 9
Electron spin delocalization
Two nickelocenes and ferrocene in a rigid *cis*/*trans* chain, 266
Ethylene polymerization
Solution structure and decomposition pathway of zwitterionic zirconium (IV) benzyl complexes, 1

Ferrocene
Two nickelocenes and ferrocene in a rigid *cis*/*trans* chain, 266
Ferrocene compounds
Ferrocenyl hydroxymethylphosphines $(\eta^5\text{-}C_5H_5)Fe[\eta^5\text{-}C_5H_4P(CH_2OH)_2]$ and 1,1′-$[Fe\{\eta^5\text{-}C_5H_4P(CH_2OH)_2\}_2]$ and their chalcogenide derivatives, 181
Ferrocenyl phosphine
Isolation and structural characterization of some stable Pd(II) carboxylate complexes supported by 1,1′-bis(diphenylphosphino) ferrocene (dppf), 159
Force constants
A new method for calculating the CO-factored force constants of pentacarbonyliron, 176
Free radicals
Spin chemistry of organometallic compounds: 2. Interaction of *N*-bromohexamethyldisilazane with allyltriorganolsilanes, 228
FTIR spectroscopy
Substitution kinetics of $Cr(CO)_5(\eta^2$-*Z*-cyclooctene) with tetracyanoethylene, 274

Germanium
Synthesis of bis(pyrazol-1-yl)methanes with organogermyl and organosilyl groups on the methine carbon and their reaction

with $W(CO)_5(THF)$. X-ray crystal structures of $Ph_2GeCHPz_2W(CO)_4$ and $Me_2SiCHPz_2W(CO)_4$ (Pz = 3,5-dimethylpyrazole), 198
Gol'danskii–Karyagin effect
Cofacial interaction of ferrocenyl groups and metal atom motional anisotropy in [10]annulene organometallics, 210

Half-sandwich complexes
Dinuclear ansa zirconocene complexes containing a sandwich and a half-sandwich moiety as catalysts for the polymerization of ethylene, 259
Heck catalyst
Isolation and structural characterization of some stable Pd(II) carboxylate complexes supported by 1,1'-bis(diphenylphosphino) ferrocene (dppf), 159
Homogeneous and heterogeneous ethylene polymerization
Dinuclear ansa zirconocene complexes containing a sandwich and a half-sandwich moiety as catalysts for the polymerization of ethylene, 259
Homolytic substitution
Spin chemistry of organometallic compounds: 2. Interaction of *N*-bromohexamethyldisilazane with allyltriorganolsilanes, 228
Hydrazine
A novel and convenient synthesis towards 2-pyridylselenium compounds: X-ray crystal structure of 4,4'-dimethyl-2,2'-dipyridyl diselenide and tris(2-pyridylseleno)methane, 71
Hydrazones
Intramolecular C–N bond formation in the reductive elimination of *ortho*-palladated arylhydrazones of acetophenone, 15
Hydrogen-bonding
Ferrocenyl hydroxymethylphosphines $(\eta^5\text{-}C_5H_5)Fe[\eta^5\text{-}C_5H_4P(CH_2OH)_2]$ and 1,1'-$[Fe\{\eta^5\text{-}C_5H_4P(CH_2OH)_2\}_2]$ and their chalcogenide derivatives, 181
Hydrolysis of Si–OTf
1-Triflato-3,5,7-trimethyl-1,3,5,7-tetrasilaadamantane and 1,3-bis-triflato-5,7-dimethyl-1,3,5,7-tetrasilaadamantane: synthesis, complexation study and X-ray structure of 1-hydroxy-3,5,7-trimethyl-1,3,5,7-tetrasilaadamantane, 141
Hydroxymethylphosphines
Ferrocenyl hydroxymethylphosphines $(\eta^5\text{-}C_5H_5)Fe[\eta^5\text{-}C_5H_4P(CH_2OH)_2]$ and 1,1'-$[Fe\{\eta^5\text{-}C_5H_4P(CH_2OH)_2\}_2]$ and their chalcogenide derivatives, 181
Hypercoordination
Some aspects of chemistry of the N → Si chelated aryloxydihydrosilanes $R(ArO)SiH_2$ (R = Ph, ArO) and of the 2,2-diaryloxytrisilane $(Me_3Si)_2Si(OAr)_2$ {ArO = 2,4,6-$[(CH_3)_2NCH_2]_3C_6H_2O$}, 94

ICl–AgOTf
1-Triflato-3,5,7-trimethyl-1,3,5,7-tetrasilaadamantane and 1,3-bis-triflato-5,7-dimethyl-1,3,5,7-tetrasilaadamantane: synthesis, complexation study and X-ray structure of 1-hydroxy-3,5,7-trimethyl-1,3,5,7-tetrasilaadamantane, 141
Infrared spectra
A new method for calculating the CO-factored force constants of pentacarbonyliron, 176
Intermolecular secondary bonds
Synthesis, spectroscopic characterisation of 1,1,2,3,4,5,6-heptahydro-1,1-di(carboxylato)telluranes and 1,3-dihydro-2λ^4-benzotellurole-2,2-diyl dicarboxylates: Crystal structures of 1,1,2,3,4,5,6-heptahydro-1,1-di(benzoato)tellurane and 1,3-dihydro-2λ^4-benzotellurole-2,2-diyl dibenzoate, 34
Intramolecular coordination
Synthesis and characterization of monomeric diorganotellurium dihalides: crystal and molecular structures of diphenacyltellurium dibromide and -diiodide, 169
Iodo
3,3-Dimethyl-1-butyne complexes of tungsten(II). Crystal structures of $[WI_2(CO)(NCPh)(\eta^2\text{-}HC_2Bu^t)_2]$ and $[WI_2(CO)\{P(OR)_3\}_2(\eta^2\text{-}HC_2Bu^t)]$ (R = Me and Et), 77
Iron
Late transition metal complexes bearing 2,9-bis(imino)-1,10-phenanthrolinyl ligands: synthesis, characterization and their ethylene activity, 62
Synthesis and structure of the novel mixed Sb/Se and Sb/Te containing iron carbonyl clusters $[Fe_3(\mu_3\text{-}Y)(\mu_3\text{-}SbMes)(CO)_9]$ (Y = Se, Te) and $[Fe_3(\mu_3,\eta^2{:}\eta^1\text{-}SeSbMes)(\mu_3\text{-}SbMes)(CO)_{10}]$, 204
Isocyanide
Reactions of tetraphosphine complex [Mo{*meso*-*o*-$C_6H_4(PPhCH_2CH_2PPh_2)_2$}$(Ph_2PCH_2CH_2PPh_2)$] with nitrile, CO, and isocyanide, 106
Isomerization
Catalytic isomerization of *N*-allylic substrates with chiral Os_3 clusters as potentially enantioselective reaction, 147

Kinetics
Substitution kinetics of $Cr(CO)_5(\eta^2\text{-}Z\text{-cyclooctene})$ with tetracyanoethylene, 274

Lanthanide chlorides
Syntheses and crystal structures of bis(tetrahydrofurfurylindenyl) lanthanocene chlorides $(C_4H_7OCH_2C_9H_6)_2LnCl$ (Ln = Nd, Sm, Dy, Ho, Er, Yb), 153

Manganese
Reactions of dirhenium heptoxide with manganese(I) and rhenium(I) hydrido, alkoxo, methylcarbonato, carbonato-bridged, and methoxymethyl complexes. The X-ray structures of *fac*-$(CO)_3(dpppp)MnOReO_3$ and *fac*-$(CO)_3(dpppp)ReORe O_3$, 88
Metallacycles
Intramolecular C–N bond formation in the reductive elimination of *ortho*-palladated arylhydrazones of acetophenone, 15
Michael addition
Chlorotrimethylsilane-mediated Michael addition reactions of chiral benzylic anions derived from η^6-chromiumtricarbonyl complexes, 21
Mo complex
Reactions of tetraphosphine complex [Mo{*meso*-*o*-$C_6H_4(PPhCH_2CH_2PPh_2)_2$}$(Ph_2PCH_2CH_2PPh_2)$] with nitrile, CO, and isocyanide, 106
Molybdenum
Synthesis, reactivity and structures of diethyldithiophosphate molybdenum complexes: crystal structures of $[Mo\{\eta^2\text{-}S_2P(OEt_2)\}_2(PhC{\equiv}CPh)_2]$ and $[Mo(\eta^3\text{-}C_3H_5)\{\eta^1\text{-}S_2P(OEt_2)\}(Phen)(CO)_2]$, 191
Mössbauer effect
Cofacial interaction of ferrocenyl groups and metal atom motional anisotropy in [10]annulene organometallics, 210

N-Allylamines
Catalytic isomerization of *N*-allylic substrates with chiral Os_3 clusters as potentially enantioselective reaction, 147
Nickel
Late transition metal complexes bearing 2,9-bis(imino)-1,10-phenanthrolinyl ligands: synthesis, characterization and their ethylene activity, 62
Nickelocene
Two nickelocenes and ferrocene in a rigid *cis/trans* chain, 266
NMR spectroscopy
Two nickelocenes and ferrocene in a rigid *cis/trans* chain, 266

Organotellurium halides
Synthesis and characterization of monomeric diorganotellurium dihalides: crystal and molecular structures of diphenacyltellurium dibromide and -diiodide, 169

Osmabenzyne
Electronic reason for the stabilization of osmabenzyne, 9
Osmium
Catalytic isomerization of *N*-allylic substrates with chiral Os_3 clusters as potentially enantioselective reaction, 147

Palladium
Isolation and structural characterization of some stable Pd(II) carboxylate complexes supported by 1,1′-bis(diphenylphosphino) ferrocene (dppf), 159
Palladium(II)
Intramolecular C–N bond formation in the reductive elimination of *ortho*-palladated arylhydrazones of acetophenone, 15
Pauson–Khand reaction
Synthesis and cyclic voltammetry of 1,2,3-trisubstituted bis(cyclopentadienyl)zirconium dichlorides, 242
p-Biphenylene-bis(picoline)aldamine
Synthetic, spectral and structural aspects of some Rh(III) pentamethylcyclopentadiene complexes containing *N*,*N*′-donor bridging ligands, 43
Pentacarbonyliron
A new method for calculating the CO-factored force constants of pentacarbonyliron, 176
Pentamethylcyclopentadienyl
Carbon–fluorine bond activation of perfluorinated arenes with $Cp^*_2ZrH_2$, 132
Perfluorinated arenes
Carbon–fluorine bond activation of perfluorinated arenes with $Cp^*_2ZrH_2$, 132
Perrhenato complexes
Reactions of dirhenium heptoxide with manganese(I) and rhenium(I) hydrido, alkoxo, methylcarbonato, carbonato-bridged, and methoxymethyl complexes. The X-ray structures of *fac*-$(CO)_3$(dppp)$MnOReO_3$ and *fac*-$(CO)_3$(dppp)$ReOReO_3$, 88
Phase-transfer catalyst
A novel and convenient synthesis towards 2-pyridylselenium compounds: X-ray crystal structure of 4,4′-dimethyl-2,2′-dipyridyl diselenide and tris(2-pyridylseleno)methane, 71
Phenanthroline
Synthesis, reactivity and structures of diethyldithiophosphate molybdenum complexes: crystal structures of $[Mo\{\eta^2\text{-}S_2P(OEt_2)\}_2(PhC{\equiv}CPh)_2]$ and $[Mo(\eta^3\text{-}C_3H_5)\{\eta^1\text{-}S_2P(OEt_2)\}(Phen)(CO)_2]$, 191
Phenanthrolinyl ligands
Late transition metal complexes bearing 2,9-bis(imino)-1,10-phenanthrolinyl ligands: synthesis, characterization and their ethylene activity, 62
Phosphine
Isolation and structural characterization of some stable Pd(II) carboxylate complexes supported by 1,1′-bis(diphenylphosphino) ferrocene (dppf), 159
Phosphine ligands
New benzotriazole derivatives as multifunctional ligands, 251
Platinum complexes
Ferrocenyl hydroxymethylphosphines $(\eta^5\text{-}C_5H_5)Fe[\eta^5\text{-}C_5H_4P(CH_2OH)_2]$ and 1,1′-$[Fe\{\eta^5\text{-}C_5H_4P(CH_2OH)_2\}_2]$ and their chalcogenide derivatives, 181
p-Phenylene-bis(picoline)aldamine
Synthetic, spectral and structural aspects of some Rh(III) pentamethylcyclopentadiene complexes containing *N*,*N*′-donor bridging ligands, 43
Pyridine-2-carbaldehyde azine
Synthetic, spectral and structural aspects of some Rh(III) pentamethylcyclopentadiene complexes containing *N*,*N*′-donor bridging ligands, 43
Pyridyl
A novel and convenient synthesis towards 2-pyridylselenium compounds: X-ray crystal structure of 4,4′-dimethyl-2,2′-dipyridyl diselenide and tris(2-pyridylseleno)methane, 71

Radical pairs
Spin chemistry of organometallic compounds: 2. Interaction of *N*-bromohexamethyldisilazane with allyltriorganolsilanes, 228
Reaction
Unusual reactions of cationic bridging carbyne complexes of dimethylsilane-bridged bis(η^5-cyclopentadienyl)diiron tricarbonyl with carbonylmetal anions, 214
Rhenium
Reactions of dirhenium heptoxide with manganese(I) and rhenium(I) hydrido, alkoxo, methylcarbonato, carbonato-bridged, and methoxymethyl complexes. The X-ray structures of *fac*-$(CO)_3$(dppp)$MnOReO_3$ and *fac*-$(CO)_3$(dppp)$ReOReO_3$, 88
Rhenium carbonyl complexes
Rhenium tricarbonyl complexes of tris(pyrazolyl)methane ligands: first structural characterization of an isomer pair of trist(pyrazolyl)methane derivatives and the supramolecular structure of the homobimetallic complex $\{1,4\text{-}C_6H_4[CH_2OCH_2C(pz)_3]_2[Re(CO)_3]_2\}(Br)_2$, 50
Rhenium heptoxide
Reactions of dirhenium heptoxide with manganese(I) and rhenium(I) hydrido, alkoxo, methylcarbonato, carbonato-bridged, and methoxymethyl complexes. The X-ray structures of *fac*-$(CO)_3$(dppp)$MnOReO_3$ and *fac*-$(CO)_3$(dppp)$ReOReO_3$, 88
Rhodium
New benzotriazole derivatives as multifunctional ligands, 251
Rhodium–carbene complexes
Structural characterization and catalytic activity of the rhodium–carbene complex $Rh(PPh_3)_2$(IMes)Cl (IMes = bis(1,3-(2,4,6-trimethylphenyl)imidazol-2-ylidene), 126
Rhodium pentamethylcyclopentadiene complexes
Synthetic, spectral and structural aspects of some Rh(III) pentamethylcyclopentadiene complexes containing *N*,*N*′-donor bridging ligands, 43
Ruthenium
Syntheses and structures of some coordinatively saturated and unsaturated diruthenium carbonyl complexes, 117

Secondary bonding
Synthesis and characterization of monomeric diorganotellurium dihalides: crystal and molecular structures of diphenacyltellurium dibromide and -diiodide, 169
Selenium
Synthesis and structure of the novel mixed Sb/Se and Sb/Te containing iron carbonyl clusters $[Fe_3(\mu_3\text{-}Y)(\mu_3\text{-}SbMes)(CO)_9]$ (Y = Se, Te) and $[Fe_3(\mu_3,\eta^2{:}\eta^1\text{-}SeSbMes)(\mu_3\text{-}SbMes)(CO)_{10}]$, 204
Silanediyl–transition metal complexes
Some aspects of chemistry of the N→Si chelated aryloxydihydrosilanes R(ArO)SiH_2(R = Ph, ArO) and of the 2,2-diaryloxytrisilane $(Me_3Si)_2Si(OAr)_2${ArO = 2,4,6-$[(CH_3)_2NCH_2]_3C_6H_2O$}, 94
Silanethione
Some aspects of chemistry of the N→Si chelated aryloxydihydrosilanes R(ArO)SiH_2(R = Ph, ArO) and of the 2,2-diaryloxytrisilane $(Me_3Si)_2Si(OAr)_2${ArO = 2,4,6-$[(CH_3)_2NCH_2]_3C_6H_2O$}, 94
Silicenium
Some aspects of chemistry of the N→Si chelated aryloxydihydrosilanes R(ArO)SiH_2(R = Ph, ArO) and of the 2,2-diaryloxytrisilane $(Me_3Si)_2Si(OAr)_2${ArO = 2,4,6-$[(CH_3)_2NCH_2]_3C_6H_2O$}, 94
Silicon
Some aspects of chemistry of the N→Si chelated aryloxydihydrosilanes R(ArO)SiH_2(R = Ph, ArO) and of the 2,2-diaryloxytrisilane $(Me_3Si)_2Si(OAr)_2${ArO = 2,4,6-$[(CH_3)_2NCH_2]_3C_6H_2O$}, 94
Synthesis of bis(pyrazol-1-yl)methanes with organogermyl and organosilyl groups on the methine carbon and their reaction

with $W(CO)_5(THF)$. X-ray crystal structures of $Ph_3GeCHPz_2$-$W(CO)_4$ and $Me_3SiCHPz_2W(CO)_4$ (Pz = 3,5-dimethylpyrazole), 198
Siloxane bridge
Synthesis and crystal structures of μ-1,3-bis(η^5-tetramethylcyclopentadienyl)-1,1,3,3-tetramethyldisiloxane][η^2-bis(trimethylsilyl]ethyne]titanium(II) and a doubly tucked-in product of its thermolysis, 235
Silylene
Some aspects of chemistry of the N → Si chelated aryloxydihydrosilanes R(ArO)SiH_2(R = Ph, ArO) and of the 2,2-diaryloxytrisilane $(Me_3Si)_2Si(OAr)_2$ {ArO = 2,4,6-[$(CH_3)_2NCH_2$]$_3C_6H_2O$}, 94
S_N2-Si and S_Ni-Si
1-Triflato-3,5,7-trimethyl-1,3,5,7-tetrasilaadamantane and 1,3-bis-triflato-5,7-dimethyl-1,3,5,7-tetrasilaadamantane: synthesis, complexation study and X-ray structure of 1-hydroxy-3,5,7-trimethyl-1,3,5,7-tetrasilaadamantane, 141
Stabilization
Electronic reason for the stabilization of osmabenzyne, 9
Structural characterization
Structural characterization and catalytic activity of the rhodium–carbene complex $Rh(PPh_3)_2$(IMes)Cl (IMes = bis(1,3-(2,4,6-trimethylphenyl)imidazol-2-ylidene), 126
Structures
Isolation and structural characterization of some stable Pd(II) carboxylate complexes supported by 1,1′-bis(diphenylphosphino) ferrocene (dppf), 159
Substitution
Substitution kinetics of $Cr(CO)_5(\eta^2$-*Z*-cyclooctene) with tetracyanoethylene, 274
Supramolecular associations
Synthesis, spectroscopic characterisation of 1,1,2,3,4,5,6-heptahydro-1,1-di(carboxylato)telluranes and 1,3-dihydro-2λ^4-benzotellurole-2,2-diyl dicarboxylates: Crystal structures of 1,1,2,3,4,5,6-heptahydro-1,1-di(benzoato)tellurane and 1,3-dihydro-2λ^4-benzotellurole-2,2-diyl dibenzoate, 34
Supramolecular structure
Rhenium tricarbonyl complexes of tris(pyrazolyl)methane ligands: first structural characterization of an isomer pair of tris(pyrazolyl)methane derivatives and the supramolecular structure of the homobimetallic complex {1,4-C_6H_4[$CH_2OCH_2C(pz)_3$]$_2$[$Re(CO)_3$]$_2$}$(Br)_2$, 50
Synthesis
Syntheses and crystal structures of bis(tetrahydrofurfurylindenyl) lanthanocene chlorides $(C_4H_3OCH_2C_9H_6)_2LnCl$ (Ln = Nd, Sm, Dy, Ho, Er, Yb), 153
Synthesis and complexation with super Lewis acids
1-Triflato-3,5,7-trimethyl-1,3,5,7-tetrasilaadamantane and 1,3-bis-triflato-5,7-dimethyl-1,3,5,7-tetrasilaadamantane: synthesis, complexation study and X-ray structure of 1-hydroxy-3,5,7-trimethyl-1,3,5,7-tetrasilaadamantane, 141

Tellurium
Synthesis and structure of the novel mixed Sb/Se and Sb/Te containing iron carbonyl clusters $[Fe_3(\mu_3\text{-}Y)(\mu_3\text{-}SbMes)(CO)_9]$ (Y = Se, Te) and $[Fe_3(\mu_3,\eta^2{:}\eta^1\text{-}SeSbMes)(\mu_3\text{-}SbMes)(CO)_{10}]$, 204
Synthesis, spectroscopic characterisation of 1,1,2,3,4,5,6-heptahydro-1,1-di(carboxylato)telluranes and 1,3-dihydro-2λ^4-benzotellurole-2,2-diyl dicarboxylates: Crystal structures of 1,1,2,3,4,5,6-heptahydro-1,1-di(benzoato)tellurane and 1,3-dihydro-2λ^4-benzotellurole-2,2-diyl dibenzoate, 34
Tetracyanoethylene
Substitution kinetics of $Cr(CO)_5(\eta^2$-*Z*-cyclooctene) with tetracyanoethylene, 274
Tetrahydrofurfurylindenyl
Syntheses and crystal structures of bis(tetrahydrofurfurylindenyl) lanthanocene chlorides $(C_4H_3OCH_2C_9H_6)_2LnCl$ (Ln = Nd, Sm, Dy, Ho, Er, Yb), 153
Tetraphosphine
Reactions of tetraphosphine complex [Mo{*meso*-*o*-C_6H_4($PPhCH_2CH_2PPh_2$)$_2$}($Ph_2PCH_2CH_2PPh_2$)] with nitrile, CO, and isocyanide, 106
Thermolysis
Synthesis and crystal structures of μ-1,3-bis(η^5-tetramethylcyclopentadienyl)-1,1,3,3-tetramethyldisiloxane][η^2-bis(trimethylsilyl]ethyne]titanium(II) and a doubly tucked-in product of its thermolysis, 235
Titanium
Synthesis and crystal structures of μ-1,3-bis(η^5-tetramethylcyclopentadienyl)-1,1,3,3-tetramethyldisiloxane][η^2-bis(trimethylsilyl]ethyne]titanium(II) and a doubly tucked-in product of its thermolysis, 235
1-Triflato-3,5,7-trimethyl-1,3,5,7-tetrasilaadamantane
1-Triflato-3,5,7-trimethyl-1,3,5,7-tetrasilaadamantane and 1,3-bis-triflato-5,7-dimethyl-1,3,5,7-tetrasilaadamantane: synthesis, complexation study and X-ray structure of 1-hydroxy-3,5,7-trimethyl-1,3,5,7-tetrasilaadamantane, 141
Tris(pyrazolyl)methane ligands
Rhenium tricarbonyl complexes of tris(pyrazolyl)methane ligands: first structural characterization of an isomer pair of tris(pyrazolyl)methane derivatives and the supramolecular structure of the homobimetallic complex {1,4-C_6H_4[$CH_2OCH_2C(pz)_3$]$_2$[$Re(CO)_3$]$_2$}$(Br)_2$, 50
Tungsten
Synthesis of bis(pyrazol-1-yl)methanes with organogermyl and organosilyl groups on the methine carbon and their reaction with $W(CO)_5(THF)$. X-ray crystal structures of $Ph_3GeCHPz_2W(CO)_4$ and $Me_3SiCHPz_2W(CO)_4$ (Pz = 3,5-dimethylpyrazole), 198
Tungsten(II)
3,3-Dimethyl-1-butyne complexes of tungsten(II). Crystal structures of $[WI_2(CO)(NCPh)(\eta^2\text{-}HC_2Bu^t)_2]$ and $[WI_2(CO)\{P(OR)_3\}_2(\eta^2\text{-}HC_2Bu^t)]$ (R = Me and Et), 77

X-ray
Reactions of dirhenium heptoxide with manganese(I) and rhenium(I) hydrido, alkoxo, methylcarbonato, carbonato-bridged, and methoxymethyl complexes. The X-ray structures of *fac*-$(CO)_3$(dppp)$MnOReO_3$ and *fac*-$(CO)_3$(dppp)$ReOReO_3$, 88
X-ray crystal structures
Synthesis of bis(pyrazol-1-yl)methanes with organogermyl and organosilyl groups on the methine carbon and their reaction with $W(CO)_5(THF)$. X-ray crystal structures of $Ph_3GeCHPz_2W(CO)_4$ and $Me_3SiCHPz_2W(CO)_4$ (Pz = 3,5-dimethylpyrazole), 198
X-Ray structure
Reactions of tetraphosphine complex [Mo{*meso*-*o*-C_6H_4($PPhCH_2CH_2PPh_2$)$_2$}($Ph_2PCH_2CH_2PPh_2$)] with nitrile, CO, and isocyanide, 106
X-ray structure determination
Synthesis, reactivity and structures of diethyldithiophosphate molybdenum complexes: crystal structures of $[Mo\{\eta^2\text{-}S_2P(OEt_2)\}_2(PhC{\equiv}CPh)_2]$ and $[Mo(\eta^3\text{-}C_3H_5)\{\eta^1\text{-}S_2P(OEt_2)\}(Phen)(CO)_2]$, 191

Zirconium
Solution structure and decomposition pathway of zwitterionic zirconium (IV) benzyl complexes, 1
Zirconocene dichloride
Synthesis and cyclic voltammetry of 1,2,3-trisubstituted bis(cyclopentadienyl)zirconium dichlorides, 242
Zwitterionic complexes
Solution structure and decomposition pathway of zwitterionic zirconium (IV) benzyl complexes, 1